



YEARSTAR HEALTHCARE TECHNOLOGY

Company Profile

OUR COMPANY



YEARSTAR,

One-Stop First Aid Supplier In China

More than 20 years of experience in medical textile supply

Dedicates to offer one-stop solutions on patient transfer and rehabilitation for OEM/ODM customers

With a complete quality management system, access to CE, FDA, ISO13485, BSCI certification

Major products: patient transfer products, stretchers, first aid kit bag, pet pad, hospital bed sheet and so on.

Company Philosophy



Mission

To enhance patient and caregiver experience with people-oriented, cost-effective, innovative and reliable healthcare products and solutions.

Vision

Be a driver of the industry revolution with innovation and technology.

Value

Integrity: We value personal integrity and insist on honesty and responsibility to be the foundation of our business.

Customer focus: We listen to customers, consider from their standpoint and offer what they really need.

Determination: We set high goals, devote ourselves, grow and exceed the goals in falling and climbing.

Teamwork: We trust and respect our colleagues and work together to support customers and create values.



<<< The platform can be shifted left and right according to >>>
the situation inside the car

YR-AD-2

YR-AD-2 Electric Loading Stretcher



Product specification

Stretcher N.W.	74KG
Capacity	160KG
High dimension	1980× 584× 1090mm
Low dimension	1980× 584× 375mm
The back adjust Angle	≥ 90°
The leg adjust Angle	≥ 10°
The battery type	Lithium ion rechargeable batteries
Battery working power supply	DC25.55V 8.6Ah



Product features

- Dual charging system, vehicle charging + external power charging
- The wheel height is adjustable, suitable for most ambulance models
- Hydraulic system control lift, at any height when staying buffer shock absorption
- Backrest adjustable from 0 to 90 degrees, legs can be raised
- The upper wheel frame is 0-40cm retractable for easy access to narrow and small areas
- Warning lights improve safety
- Wear-resistant rubber wheel, front wheel has fixed/universal conversion function

YR-AD-3/AD-4

YR-AD-3/AD-4 Electric Loading Stretcher for Baby

Product specification

Stretcher N.W: 74KG

Capacity: 160KG

High dimension:

1980× 584× 1090mm

Fold dimension: 1650x584x1090mm

Low size:

1980× 584× 375mm

Fold dimension: 1650x584x1080mm



Product features

- The first self-developed electric stretcher in China the Class II registration certificate of medical devices
- Equipped with a newborn transfer and placement table, which is convenient for the transfer of infants and emergency equipment.
- The first electric stretcher passed EN 1789, EN1865 standard in China.
- Electric drive stretcher lifting is an important advantage over other ordinary stretcher, can reduce the labor intensity.

YR-A8

YR-A8 Automatic Loading Stretcher



Product specification

Material: Aluminum Alloy

Capacity: 200kg/440.9lb

Net weight: 44kg/97lb

Product Dimension: 1900*570*910mm/74.8*22.8*36in

Folding Dimension: 2000*570*260mm/79.1*22.8*10in

Max angle of the back: 0—90°

Caster diameter: Φ 150mm

Boarding height: 670mm

Product features

- Made with solid aluminum alloy.
- The rear leg is equipped with a safety lock device, which adopts an external eight-figure design to improve safety and make the structure of the stretcher more solid and stable without tipping
- The wheel diameter is 150 mm, the front wheel fixed direction, the rear wheel universal wheel positioning with brake function, improve the stretcher in various states of stability, comfort, strong control.
- The mattress is ergonomically designed to increase comfort.
- The front and back legs are protected by plastic baffle, which can prevent the feet from knocking against the ambulance repeatedly and lead to deformation, and has a certain buffering effect.
- Stretcher guardrail unique design, easy to fold, save space

YR-A8N

YR-A8N Stretcher Cot

Product specification

Material: Aluminum Alloy

Capacity: 200kg/440.9lb

Net weight: 44kg/97lb

Product Dimension: 11935*570*915mm

Folding Dimension: 22045*570*260mm

Max angle of the back: 0—90°

Caster diameter: Φ 150mm

Boarding height: 670mm


Product features

- Made with solid aluminum alloy, make the stretcher firm and durable
- Special design of lying part, can do cpr directly on it.
- 150 mm, front fixed, rear auto-directional
- Mattress with elastic leather and ergonomic design serves comfort for the patient.



YR-PT

YR-PT Stretcher Base



Product features

- Built with solid aluminum, with the feature of firm structure, light weight, convenient for use
- The extension board of the ambulance is designed to be rolling-over.
- When the stretcher is moved into the base, it will be locked automatically
- The stretcher base adopts the double layer design, scoop stretcher or spine board can be put in the second layer

Product specification

Capacity: 19kg/41.9lb

Net weight: 25.2kg/55.6lb

Product Dimension: 2230*640*140mm/87.8*25.2*5.9in

Folding Dimension: 1955*640*432mm/77*25.2*17in

Aluminum Alloy Ambulance Stretcher



This product is also known as stretcher cart, ambulance stretcher cart, low stretcher cart and so on.

The body part is mainly aluminum alloy structure, with light toughness, easy to disinfect the characteristics of the hospital emergency center for the transfer of the wounded.

The stretcher cart adopts sponge cushion and the backrest can be adjusted to make the patient more comfortable to lie down. The stretcher car adopts a low frame structure, which can be moved on the ground, and can be carried on the ambulance to transfer patients. Both ends of the car are equipped with telescopic handles, which make it easy to lift the stretcher car. The wheel periphery is made of rubber, which is strong and durable. It must be locked with the fixing device on the ambulance after boarding to ensure the safety of the patient during the ambulance journey.

The stretcher cart is equipped with two safety straps to ensure the safety of the patient. The stretcher truck is equipped with an infusion rack.

Product	Model	Open Size	Biggest angle	Loading	N.W.	G.W.	Packing Size	
Ambulance Stretcher	YJK-A-2	190*55*50CM	75°	≤159KG	26KG	32.76KG	1PC/CTN	196.5*63*34.5CM

Aluminum Alloy Ambulance Stretcher



This product is also known as stretcher car, ambulance stretcher car, first aid stretcher, on board stretcher, automatic on board stretcher, rescue car stretcher, rescue stretcher car, etc.

The body part of this product is mainly made of aluminum alloy structure, and the mating parts are made of aluminum alloy die-casting, which has the characteristics of good lightness and toughness and easy disinfection, and is used by hospitals and emergency centers to transfer the wounded.

This stretcher car adopts sponge cushion, the backrest can be adjusted to make the patient more comfortable lying down. Adopting the mechanical structure of folding legs, the folding is controlled by the right-hand handle, and only one ambulance worker is needed to push the patient into the ambulance. The wheel periphery is made of rubber material, which is strong and durable. After boarding, it must be locked with the fixing device on the ambulance to ensure the safety of the patient during the ambulance journey.

This stretcher truck is equipped with two safety straps to ensure the safety of the patient. When the patient is transported to the ward or destination, open the rear fixing lock and slowly pull down from inside the ambulance, the stretcher legs will be automatically lowered.

Product	Model	Open Size	Fold Size	Biggest angle	Loading	N.W.	G.W.	Packing Size	
Ambulance Stretcher	YJK-A-3	190*55*92CM	190*55*26CM	75°	≤159KG	37KG	41.8KG	1PC/CTN	196*63.5*30 CM

Aluminum Alloy Ambulance Stretcher



This product is also known as stretcher car, ambulance stretcher car, first aid stretcher, on board stretcher, automatic on board stretcher, rescue car stretcher, rescue stretcher car, etc.



The body part of this product is mainly made of aluminum alloy structure, and the mating parts are made of aluminum alloy die-casting, which has the characteristics of good lightness and toughness and easy disinfection, and is used by hospitals and emergency centers to transfer the wounded.

This stretcher car adopts sponge cushion, the backrest can be adjusted to make the patient more comfortable lying down. This stretcher has 3 on the height of the ambulance is adjustable. Adopting the mechanical structure of folding leg, the folding is controlled by the right-hand handle, and only one ambulance worker is needed to push the patient into the ambulance. The wheel periphery is made of rubber material, which is strong and durable. After boarding, it must be locked with the fixing device on the ambulance to ensure the safety of the patient during the ambulance journey.

This stretcher truck is equipped with two safety straps to ensure the safety of the patient. When the patient is transported to the ward or destination, open the rear fixing lock and slowly pull down from inside the ambulance, the stretcher legs will be automatically lowered.

Product	Model	Open Size	Fold Size	Biggest angle	Loading	N.W.	G.W.	Packing Size	
Ambulance Stretcher	YJK-B-3	190*55*92CM	190*55*25CM	75°	≤159KG	40KG	43.8KG	1PC/CTN	195.5*62*27.5CM

Aluminum Alloy Ambulance Stretcher



This product is also known as stretcher car, ambulance stretcher car, low stretcher car, first aid stretcher, on board stretcher, rescue car stretcher, rescue stretcher car, etc.

The body part of this product is mainly made of aluminum alloy structure, mating parts aluminum alloy die-casting, with light toughness, easy to disinfect the characteristics of the hospital emergency center for the transfer of the wounded to use.

The stretcher car adopts sponge cushion, the backrest can be adjusted to make the patient lie down more comfortable, the stretcher car adopts a low frame structure, can only move on the ground, can not be lifted to walk. Can not automatically get on the car, the ambulance needs to lift the stretcher car. The wheels of this stretcher cart are made of rubber material, which is strong and durable.

The stretcher cart must be locked with the fixing device on the ambulance after boarding to ensure the safety of the patient during the ambulance journey, and the stretcher cart is equipped with two safety straps to ensure the safety of the patient.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Ambulance Stretcher	YJK-C-2	190*62*23CM	≤159KG	18.5KG	20.5KG	1PC/CTN	195*64*22.5CM

Aluminum Alloy Ambulance Stretcher



This product is also known as stretcher car, ambulance stretcher car, first aid stretcher, on board stretcher, automatic on board stretcher, rescue car stretcher, rescue stretcher car, etc.

This stretcher car adopts sponge cushion, the backrest can be adjusted to make the patient more comfortable to lie down. The stretcher adopts a dexterous structure and a mechanical structure with folded legs to achieve a variety of posture shifts, with four adjustable height gears and a right-hand handle to control the folding, requiring only one ambulance crew to push the patient into the ambulance. Wheel periphery using rubber material, strong and durable. After boarding, it must be locked with the fixing device on the ambulance to ensure the safety of the patient during the ambulance journey.

This stretcher truck is equipped with two safety straps to ensure the safety of the patient. When the patient is transported to the ward or destination, open the rear fixation lock and slowly pull down from inside the ambulance, the stretcher legs will be automatically lowered.

Product	Model	Open Size	Fold Size	Biggest angle	Loading	N.W.	G.W.	Packing Size	
Ambulance Stretcher	YJK-D-3	196*55*98CM	196*55*34CM	70°	≤159KG	38.20KG	46.65KG	1PC/CTN	198.5*63*37CM

Aluminum Alloy Ambulance Stretcher



This product is also known as stretcher cart, chair stretcher cart, ambulance stretcher cart, etc.

The body part of this product is mainly made of aluminum alloy structure, and the mating parts are made of aluminum alloy die-casting, which has the characteristics of good lightness and toughness and easy disinfection, and is used by hospitals and emergency centers for transferring the injured.

This trolley is produced by high-quality aluminum alloy, the bed surface is upholstered with sponge, the bed side has a block body guard, rust-proof, easy to clean features, light weight, easy to use, in narrow stairways, elevators, and other narrow space, can be quickly folded into a wheelchair use.

Product	Model	Open Size	Fold Size	Biggest angle	Loading	N.W.	G.W.	Packing Size	
Ambulance Stretcher	YJK-E-3	196*60*88CM	196*60*27CM	75°	≤159KG	32KG	38KG	1PC/CTN	199*60*28CM

Aluminum Alloy Ambulance Stretcher



This product is also known as stretcher car, ambulance stretcher car, first aid stretcher, on board stretcher, rescue car stretcher, rescue stretcher car, etc..

The body part of this product is mainly made of aluminum alloy structure, mating parts aluminum alloy die-casting, with light toughness, easy to disinfect the characteristics of the hospital emergency center for the transfer of the wounded to use.

The stretcher car adopts sponge cushion, the backrest can be adjusted to make the patient more comfortable lying down. There are high, medium and low 3 height gears to adjust. Two ambulance personnel are needed to lift the patient into the ambulance. The wheel periphery is made of rubber material, which is strong and durable.

This stretcher car must be locked with the fixing device on the ambulance after getting on board, to ensure the safety of the patient during the ambulance journey, equipped with two safety straps to ensure the safety of the patient.

Product	Model	Open Size	Median Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Ambulance Stretcher	YJK-G-3	190*55*88CM	190*55*72CM	190*55*40CM	≤159KG	35KG	41KG	1PC/CTN	195*62*42CM

[Back to the catalog](#)

YR-E8S

YR-E8S Carbon Fiber Scoop Stretcher

Meet EN1789, EN1865 TEST

Product specification

LoadCapacity: 280kg

NetWeight: 4.7kg

ProductSize: 1723*436*73mm

FoldingSize: 1195*436*73mm




Product features

- The first domestic application of carbon fiber materials in the stretcher field.
- The stretcher is made of carbon fiber, with strong toughness, good fatigue resistance and light weight. It is 50% lighter than the traditional scoop stretcher, reaching 4.7kg, and it has the characteristics of large loading capacity and long service life.
- The stretcher is anti-radiation, anti-corrosion, high and low temperature resistance, and anti-static.
- This product is anti-static and can meet mine rescue to avoid gas explosion caused by static electricity.
- The stretcher meets the requirements of CT, X-ray, and nuclear magnetic imaging, and the imaging rate can reach 99%.
- The product has a wide range of applications from per-hospital to in-hospital, from hospital emergency to social public safety emergency.
- The product has invention patent protection.

YR-E5

YR-E5 Plastic Scoop Stretcher



Product features

- Length can be adjusted.
- Safety lock for smoothly locking and unlocking.
- Head section recessed to maintain patient's cervical alignment
- X-ray translucent

Product specification


Material: Plastic

Capacity: 159kg/350.5lb

Net weight: 7.5kg/17.6lb

Product Dimension: 1640*445*65mm/64.6*17.5*2.6in

Folding Dimension: 1180*445*85mm/46.5*17.7*3.3in



YR-S8

YR-S8 Patient Transfer Board



Product specification

Material: HDPE + carbon fiber supporting frame

Capacity: 250kg/551.1lb

Net weight: 4.3kg/9.5lb

Product Dimension: 1845*400*52mm/72.6*15.7*2in

Product features

- It is made of plastic HDPE + carbon fiber material by special technology. The high-strength fixing plate is more firm and durable.
- The arc shape of the fixed plate is more suitable for the human body and easier to protect the patients.
- It can penetrate X-ray, MRI, CT, waterproof and easy to clean.
- It can be used with head immobilizer and cervical collar

Spine board



This product is also known as Spine board, lifting board, board stretcher, plastic stretcher, fixed lifting board, floating rescue board, Spine board stretcher, etc.

This product is made of high-density plastic polyethylene blow molding, strong and durable, not easy to aging. This product is suitable for all kinds of harsh environment rescue, strong anti-collision performance, waterproof and easy to clean.

Can be X-ray, MRI, CT penetration effect is excellent, convenient for the injured to check, minimize the pain caused to the patient in the process of transport.

Uniform opening of the periphery of the hand opening, can be carried by multiple people at the same time, carrying, lifting. Hard structure, easy to continue CPR and cardiac compression during the transfer process, large drainage capacity, the overall volume of 0.04m³, in room temperature water can float an adult, greatly reducing the difficulty of water lifesaving personnel, to facilitate faster rescue of the injured.

Spine fixation set contains a neck brace, head fixator and Spine fixation plate, this product is generally equipped with three straps.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Spine board	YJK-F1	183×45×6CM	≤159KG	7KG	9KG	1PC/CTN	184×46×7CM

Spine board



This product is also known as Spine board, lifting board, board stretcher, plastic stretcher, fixed lifting board, floating rescue board, Spine board stretcher, etc.

This product is made of high-density plastic polyethylene blow molding, strong and durable, not easy to aging. Suitable for all kinds of harsh environment rescue, strong anti-collision performance, waterproof and easy to clean.


Can be X-ray, MRI, CT penetration effect is excellent, convenient for the injured to check, minimize the pain caused to the patient in the process of transport.

Uniform opening of the periphery of the hand opening, can be carried by multiple people at the same time, carrying, lifting. Hard structure, easy to continue CPR and cardiac compression during the transfer process, large drainage capacity, the overall volume of 0.04m³, in room temperature water can float an adult, greatly reducing the difficulty of water lifesaving personnel, to facilitate faster rescue of the injured.

Spine fixation set contains a neck brace, head fixator and Spine fixation plate, this product is generally equipped with three straps.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Spine board	YJK-F3	186×41×5CM	≤159KG	6.5KG	8.5KG	1PC/CTN	187×43×7CM

Spine board



This product is also known as Spine board, folding Spine board, carrying board, board stretcher, plastic stretcher, fixed carrying board, etc.

This product is made of aluminum tube and high-density plastic polyethylene blow molding, strong and durable, not easy to aging. Suitable for all kinds of harsh environment rescue, strong anti-collision performance, waterproof and easy to clean.

Can be X-ray, MRI, CT penetration effect is excellent, convenient for the injured to check, minimize the pain caused to the patient in the process of transport.


Uniform opening of the periphery of the hand opening, can be carried by multiple people at the same time, carrying, lifting. The rigid structure facilitates CPR and cardiac compressions during the transfer process.

The Spine fixation set contains a neck brace, head fixator and Spine fixation plate, and this product is generally equipped with three straps.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Spine board	YJK-F4	187×50×4CM	≤159KG	8.8KG	10KG	1PC/CTN	97×56×10CM

[Back to the catalog](#)

Spine board



This product is also known as Spine board, folding Spine board, carrying board, board stretcher, plastic stretcher, fixed carrying board, etc.

This product is made of aluminum tube and high-density plastic polyethylene blow molding, strong and durable, not easy to aging.

This product is suitable for various harsh environment rescue, strong anti-collision performance, waterproof and easy to clean. It can be X-ray, MRI, CT penetration effect is excellent, convenient for the injured to check, minimize the pain caused to the patient in the process of transport. Uniform opening of the periphery of the hand opening, can be carried by multiple people at the same time, carrying, lifting. The rigid structure facilitates CPR and cardiac compressions during the transfer process.

The Spine fixation set contains a neck brace, head fixator and Spine fixation plate, and this product is generally equipped with three straps.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Spine board	YJK-F8	191×47×3CM	≤159KG	8.45KG	9.1KG	1PC/CTN	55.5×55.5×15.5CM

Spine board



This product is also known as Spine board, folding Spine board, carrying board, board stretcher, plastic stretcher, fixed carrying board, etc.

This product is made of high-density plastic polyethylene blow molding, strong and durable, not easy to aging. Can be disassembled and used, contains an adult Spine board and a child Spine board. Suitable for all kinds of harsh environment rescue, strong anti-collision performance, waterproof and easy to clean.

Can be X-ray, MRI, CT penetration effect is excellent, convenient for the injured to check, minimize the pain caused to the patient in the handling process. Uniform opening of the periphery of the hand opening, can be carried by multiple people at the same time, carrying, lifting. The rigid structure is convenient for CPR and cardiac compressions during the transfer process.

The Spine board can be used with neck brace and head immobilizer, and the product is generally equipped with three straps.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Spine board	YJK-F10	183×44.5×6CM	≤159KG	7.64KG	11.85KG	1PC/CTN	185×47.5×7CM
Spine board	YJK-F10	120×32×4.5CM	≤159KG	2.51KG	3KG	1PC/CTN	122×33×5CM

[Back to the catalog](#)

Wooden Stretcher



This product is also known as Spine board, carrying board, board stretcher, fixed carrying board, etc..

Made of high-density wood board, durable, not easy to aging, not bending, can safely transfer the sick and wounded, is a kind of first aid transfer equipment can be equipped to the medical sector, can be equipped with head immobilizer, can be equipped with straps, this product is generally equipped with four straps.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Wooden Stretcher	YJK-F14	197×51×5.5CM	≤159KG	10.6KG	12KG	1PCS/CTN	198×53×6CM

[Back to the catalog](#)

Aluminum Alloy Folding Stretcher



This product is also known as stretcher, folding stretcher, aluminum alloy stretcher, aluminum alloy folding stretcher, simple stretcher, etc. .

The frame part of this product is mainly made of high-strength aluminum alloy, with light weight, small volume, easy to carry, safe to use and other characteristics.

The surface of the stretcher is made of blue Oxford leather, which makes it more comfortable for the patient to lie down. With two wheels at one end and two support feet at the other end, the patient can be transferred by lifting one end of the support feet when there are not enough hands. Support feet and casters can be folded and stored, more convenient to use. This product is equipped with two safety straps to ensure the safety of the patient during transportation.

Mainly used in hospitals, outpatient departments, ambulances, firefighters and troops in the field to transport the sick and wounded or enterprises and institutions, rural health offices, homes for the elderly and tourist attractions equipped with emergency use.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Folding Stretcher	YJK-A1-1	185.5*52*22.2CM	92.4*52*10CM	≤159KG	5.4KG	6.4KG	1PC/CTN	98*54*10CM

[Back to the catalog](#)

Aluminum Alloy Folding Stretcher




This product is also known as aluminum alloy stretcher, folding stretcher, aluminum alloy folding stretcher, etc..

Made of high-strength aluminum alloy and Oxford leather surface, it has the characteristics of light weight, small size, easy to carry, safe to use, etc. It is mainly used for funeral homes, crematoriums to transport the body.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Folding Stretcher	YJK-A5-1	185.5*52.5*21CM	98*54*20CM	≤159KG	7.2KG	8.39KG	1PC/CTN	96.5*55*12CM

[Back to the catalog](#)

Aluminum Alloy Folding Stretcher



This product is also known as stretcher, folding stretcher, aluminum alloy stretcher, aluminum alloy folding stretcher, simple stretcher, etc. .

The frame part of this product is mainly made of high-strength aluminum alloy, with light weight, small size, easy to carry, safe to use and other characteristics.

The stretcher surface is made of aluminum alloy plate, which is convenient for fracture patients to use and avoid secondary injuries on the way to the hospital.

This product stretcher surface with hollow design is more breathable, cleaning is also extremely convenient. This product is equipped with two safety straps to ensure the safety of patients in transit.

Mainly used in hospitals, outpatient clinics, ambulances, firefighters and troops in the field to transport the sick and wounded or enterprises and institutions, rural health offices, homes for the elderly and tourist attractions equipped with emergency use.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Folding Stretcher	YJK-B2-1	185*50*3CM	92.5*50*7CM	≤159KG	14.66KG	15.90KG	2PC/CTN	94*54*16CM

[Back to the catalog](#)

Aluminum Alloy Folding Stretcher



This product is also known as stretcher, aluminum alloy stretcher, fire stretcher, folding stretcher, rescue stretcher, etc..

The frame part of this product is mainly made of high-strength aluminum alloy, with light weight, small size, easy to carry, safe to use and other characteristics.

This product stretcher surface is made of camouflage oxford leather surface, with pillowcase, so that the patient lying more comfortable. This product has four support feet, in the uneven ground can also rescue the patient, the handle has a telescopic function, convenient to close the storage, reduce the length. This product is equipped with two safety straps to ensure the safety of patients in transit. Can be two folded into the camouflage handbag, saving space and easy to carry.

Mainly used in hospitals, outpatient departments, ambulances, firefighters and troops in the field to transport the sick and wounded or enterprises and institutions, rural health offices, homes for the elderly and tourist attractions equipped for emergency use.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Folding Stretcher	YJK-D-1	220*55*15CM	95*20*9CM	≤159KG	8.07KG	8.77KG	1PC/CTN	98*23.5*11CM

[Back to the catalog](#)

Aluminum Alloy Folding Stretcher



This product is also known as stretcher, aluminum alloy stretcher, body stretcher, folding stretcher, funeral stretcher, etc. .

The frame part of this product is mainly made of high-strength aluminum alloy, with light weight, small size, easy to carry, safe to use and other characteristics. The stretcher surface is made of PU leather, and is equipped with special body bags, with easy to clean, disinfection and other characteristics.


The car is designed with two wheels at one end and two support feet at the other end, so that the body can be transported by lifting one end of the support feet in the case of insufficient manpower. Equipped with two safety straps to ensure the safety of the transport.

This product can be two folded storage, space-saving, easy to carry mainly for hospitals, funeral homes, crematoriums to transport the body used.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Folding Stretcher	YJK-H-1	208*53*35.5CM	108*53*12CM	≤159KG	9.3KG	10.8KG	1PC/CTN	110*58*12.5CM

[Back to the catalog](#)

Scoop Stretcher



This product is also known as separation stretcher, shovel stretcher, aluminum alloy shovel stretcher, etc.

Made of high-strength aluminum alloy material, four plates: foldable, detachable and expandable. Foldable design, portable and easy to stack, greatly reducing the space occupied, conducive to large-scale applications.

The detachable design adopts a separate rigid structure to transfer fractures and seriously injured patients. Both ends are equipped with a clutch device, which can be separated into two parts left and right side switch easier to operate, providing better protection for the injured. In the case of not moving the patient, quickly shovel the patient into or extract the stretcher from under the patient's body.

Retractable design, the length of the stretcher can be adjusted according to the length of the person, a total of 3 gears. Narrow frame structure at one end of the stretcher (feet). Suitable for patients of any size and height.

The product is equipped with safety straps to ensure the safety of the patient. The spade stretcher can be used together with the head immobilizer.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Scoop Stretcher	YJK-A-4	208×44×7CM	166.5×44×7CM	≤159KG	7.13KG	8.25KG	1PC/CTN	172×45.5×7.5CM

Plastic spade stretcher



This product is also known as separation stretcher, shovel stretcher, PE plastic stretcher, plastic stretcher and so on.

Made of high-strength engineering plastic, the thermal material does not make the patient feel too hot or too cold, and the surface is easy to clean to prevent liquid penetration. X-ray and MRI permeable.

Foldable design, portable and easy to stack, greatly reducing the space occupied, conducive to large-scale applications. Detachable design, with clutching devices at both ends, the stretcher can be separated into two parts, so that the patient can be quickly shoveled in or pulled out from under the patient's body without moving the patient. The groove at the head end is suitable for maintaining the patient's Spine alignment.

Retractable design, the length of the stretcher can be adjusted according to the length of the person, a total of 3 gears, suitable for any size and height of the patient.

The product is equipped with safety straps to ensure the safety of the patient. The spade stretcher can be used together with the head immobilizer.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Plastic spade stretcher	YJK-D-4	162×45×7CM	116.5×44.8×7.5CM	≤159KG	9.03KG	10.89KG	1PC/CTN	165×47.5×8.5CM

Plastic spade stretcher



This product is also known as separation stretcher, shovel type stretcher.

Foldable design, portable and easy to stack, greatly reducing the space occupied, conducive to large-scale applications. Detachable design, using a separate rigid structure, transferring fractures and serious injuries and patients. Both ends are equipped with a clutch device, which can be separated into two parts left and right side switch easier to operate, providing better protection for the injured.

Without moving the patient, quickly shovel the patient into or pull out the stretcher from under the patient's body.

The product is equipped with safety straps to ensure the safety of the patient.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Plastic spade stretcher	YJK-D2-4	172.3×43.6×7.3CM	119.5×43.6×7.3CM	≤159KG	5.5KG	6.5KG	1PC/CTN	175×45×8CM

Basket Stretcher



This stretcher is also known as basket stretcher, basket stretcher, air hoist stretcher, marine stretcher, helicopter stretcher, etc.

It is made of non-toxic and non-polluting ABS material, which is light and resistant to pressure, easy to clean, and has the function of fireproof, wear-resisting and anti-erosion. The edge of the aluminum alloy tube is reinforced, and there are many arc-shaped sleek handles, which are convenient for many people to lift during use; the stretcher has metal buckles on both sides, and can be used with nylon buckles.

The structure of this stretcher focuses on the wide range of first aid, flexibility and special features, such as rugged mountainous areas, air or sea rescue. The sturdy and durable frame and the simple and reliable device allow the operator to take first aid measures safely and quickly. The hooks can be connected to the hooks on the aircraft. To achieve wilderness rescue.

The stretcher is equipped with adjustable foot anchors, which can be adjusted according to the height of the casualty.

The product is equipped with safety straps to effectively fix the casualty, and the snap design is more convenient to use. This product is equipped with a sling, which can be lifted from a height.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Basket Stretcher	YJK-A-6	219×64×18CM	≤159KG	18.7KG	19.64KG	1PC/CTN	223×67.5×21CM

Basket Stretcher



This stretcher is also known as basket stretcher, basket stretcher, air hoist stretcher, marine stretcher, helicopter stretcher, etc.

It is made of non-toxic and non-polluting ABS material, which is light and resistant to pressure, easy to clean, and has the function of fireproof, wear-resisting and anti-erosion. The edge of the aluminum alloy tube is reinforced, and there are many arc-shaped sleek handles, which are convenient for many people to lift during use; the stretcher has metal buckles on both sides, and can be used with nylon buckles.

The structure of this stretcher focuses on the wide range of first aid, flexibility and special features, such as rugged mountainous areas, air or sea rescue. The sturdy and durable frame and the simple and reliable device allow the operator to take first aid measures safely and quickly.

The stretcher is equipped with adjustable foot anchors, which can be adjusted according to the height of the casualty.

The detachable design, portable and easy to stack, greatly reduces the space occupied and facilitates first aid applications. The product is equipped with safety straps to effectively fix the casualty, and the snap design is more convenient to use. This product is equipped with a sling, suspension hook can be connected with the hook on the aircraft. Realize field rescue.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Basket Stretcher	YJK-B-6	219×64×18CM	130×67×29CM	≤159KG	18.97KG	21.69KG	1PC/CTN	130×67.5×25.5CM

Basket Stretcher



This stretcher is also known as basket stretcher, hanging basket stretcher, air hoist stretcher, marine stretcher, helicopter stretcher, etc.

It is made of non-toxic and non-polluting released materials, fireproof and resistant to abrasion and erosion, made of stainless steel tubes and nets, will not cause additional harm to the patient, is stronger than ordinary stretchers, can be used with board stretchers, easy to transport and store, and easy to clean. The stretcher is equipped with metal buckles on both sides, and can be used with nylon ties.

Mainly suitable for rugged mountainous areas, air or sea rescue. The frame is strong and durable, and the simple and reliable device allows the operator to take first aid measures safely and quickly. The hook can be connected with the hook on the aircraft to achieve field rescue.

The product is equipped with nylon straps to effectively fix the casualty, and the carabiner design is more convenient to use.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Basket Stretcher	YJK-C-6	212×67×25CM	≤159KG	19.5KG	20.5KG	1PC/CTN	215×70×28CM

Basket Stretcher



This stretcher is also known as basket stretcher, hanging basket stretcher, air hoist stretcher, marine stretcher, helicopter stretcher, etc.

Made of stainless steel tube and net, it is fireproof and resistant to abrasion and erosion, and will not cause additional harm to the patient. The stretcher has metal buckles on both sides and can be used with nylon ties.

The structure of this stretcher is designed for the wide range of first aid, flexibility and special features, such as rugged mountainous areas, air or sea rescue. The sturdy and durable frame and the simple and reliable device allow the operator to take first aid measures safely and quickly.

The stretcher is equipped with adjustable foot anchors, which can be adjusted according to the height of the casualty. The detachable design, portable and easy to stack, greatly reduces the space occupied and facilitates first aid applications.

The product is equipped with safety straps to effectively fix the casualty, and the snap design is more convenient to use. This product is equipped with a sling, suspension hook can be connected with the hook on the aircraft. Realize field rescue.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Basket Stretcher	YJK-D-6	212×67×25CM	115×67×28CM	≤159KG	20KG	22.5KG	1PC/CTN	130×65×25CM

Basket floating stretcher



This stretcher is also known as basket stretcher, basket stretcher, empty hanging stretcher, marine stretcher. Carry four length of 1 meter floating device.

It is made of non-toxic and non-polluting ABS material, which is light and resistant to pressure, easy to clean, and has the function of fireproof, wear-resistant and anti-erosion, reinforced with aluminum alloy tube at the edge, and has many arc-shaped sleek handles, which is convenient for many people to lift during use; the stretcher has metal buckles on both sides, and can be used with nylon ties.

The structure of this stretcher focuses on the wide range of first aid, flexibility and special features, such as rugged mountainous areas, air or sea rescue. The sturdy and durable frame and the simple and reliable device allow the operator to take first aid measures safely and quickly. The hooks can be connected to the hooks on the aircraft. To achieve wilderness rescue.

The stretcher is equipped with adjustable foot anchors, which can be adjusted according to the height of the casualty.

The product is equipped with safety straps to effectively fix the casualty, and the snap design is more convenient to use. This product is equipped with a sling, which can be lifted from a height.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Basket floating stretcher	YJK-F-1	100×18 CM	≤159KG	4KG	4.5KG	4PC/CTN	39×39×93CM

[Back to the catalog](#)

Stair Stretcher

This product is also known as upstairs stretcher, wheelchair stretcher, up and down stairs stretcher, stairs stretcher, etc.

It is made of aluminum alloy with light and flexible structure. It has a light weight, small size, easy to carry, safe to use, easy to clean and disinfect. Other materials are made of oxford cloth fabric. Foldable structure is easy to carry, used for rescuing fracture patients up and down the stairs. The product is equipped with a wide insurance belt to ensure the safety of patients in the transfer process.

The stretcher is equipped with four large wheels to facilitate the movement on the ground, with stirrups, safety is more secure. The stretcher is equipped with a reinforced handle at the back end, which can bear more weight.

This product requires 2 people to operate at the same time, when lifting and transporting patients up and down the stairs, the front lifting lever is pulled out and the back handle is opened to hold up and carry.



Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Stair Stretcher	YJK-D-5	99.5×99.5×48CM	99.5×48×29CM	≤159KG	10.02KG	12.85KG	1PC/CTN	102×55.5×31CM

[Back to the catalog](#)

Stair Stretcher



This product is also known as upstairs stretcher, wheelchair stretcher, up and down stairs stretcher, stairs stretcher, stair climbing chair.

It adopts aluminum alloy material and track, with light weight, small size, easy to carry, safe to use, easy to clean, foldable structure is easy to carry, used for rescuing fracture patients up and down the stairs.

This product adopts the reinforced anti-slip track design, downstairs only one person can operate. When going upstairs, 2 people need to operate at the same time, the front lifting lever is pulled out, and the rear handle is opened to hold up for carrying. The stair stretcher is equipped with 4 wheels, convenient for moving on the ground, with stirrup frame, safety is more secure.

This product is comfortable soft cushion, foam curved handle, with two pairs of seat belts to ensure the safety of patients in the transfer process.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Stair Stretcher	YJK-E-5	163×138×51CM	113×54×33CM	≤159KG	19KG	32.4KG	1PC/CTN	117.5×58×32CM

[Back to the catalog](#)

Stair Stretcher



This product is also known as upstairs stretcher, wheelchair stretcher, up and down stairs stretcher, stairs stretcher, stair climbing chair, electric stairs stretcher, electric stair climbing car, etc..

This product is made of aluminum alloy, motor, track, etc. The product can be folded, easy to carry and safe to use, easy to clean.

This product has no restrictions on the height and width of the stair steps, the general family stairs are available (folded into the trunk)! The front wheels are PU universal wheels, rear wheels with brakes, in the process of use, can stay on the stairs, will not slide! Higher safety. At the same time, there is a power display on the product, you can observe the use of power in a timely manner, ready to charge.

This product uses reinforced anti-skid track type design, one key electric control, up and down the stairs only need someone to assist in the operation, effortless. In case of emergency without electricity, only 2 people are needed to operate up and down the stairs. When going up and down the stairs, 2 people need to operate at the same time, the front lifting lever is pulled out, and the rear handle is opened and held up for carrying.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Stair Stretcher	YJK-E2-5	105×50×155CM	105×50×28CM	≤159KG	34KG	44.3KG	1PC/CTN	117.5×58×32CM

[Back to the catalog](#)

YR-L1

YR-L1 Patient Transfer Pad



Product features

- It is made of high strength PVC
- It has the characteristics of high strength and easy cleaning.

Special sizes and fabrics can be customized according to customers' requirements

Product specification

Capacity: 159kg

Net weight: 3.6kg

Product Dimension: 1980*570mm

YR-D4

YR-D4 Aluminum Alloy 4 Folding Stretcher

Product features

- It is composed of two sets of four-section high-strength aluminum alloy.
- It has reasonable structure, small volume, light weight and rapid opening and shrinkage.
- After folding, the length and width of the product are suitable for the soldier's back and placed in a special soldier's bag, which does not affect the soldier's action.

Productspecification

LoadCapacity:159kg

NetWeight:7.4kg

ProductSize:2290*550*150mm

FoldingSize:530*210*160mm



YR-D8

YR-D8 Carbon Fiber 4 Folding Stretcher

Product features

- This product is made of new material carbon fiber, which is light in weight, high in strength and large in load capacity.
- It has reasonable structure, small volume, light weight and rapid opening and shrinkage.
- After folding, the length and width of the product are suitable for the soldier's back and placed in a special soldier's bag, which does not affect the soldier's action.



Productspecification

LoadCapacity:180kg

NetWeight:4.5kg

ProductSize:2140*550*150mm

FoldingSize:560*180*180mm

YR-E8S

YR-E8S Carbon Fiber Scoop Stretcher



- The first carbon fiber material used in stretcher field in China
- The application of carbon fiber medical stretcher in CT diagnosis can not only reduce the use of X-rays, but also make the diagnosis result clearer and more accurate.
- The stretcher is made of carbon fiber, with strong toughness, good fatigue resistance and light weight, which is 50% lighter than the traditional shovel stretcher, reaching 4.7kg, and has the characteristics of large bearing weight and long service life;

Specification

Load Capacity: 250kg

Net Weight: 4.7kg

Product Size: 1723*436*73mm

Folding Size: 1195*436*73mm

YR-LT

YR-LT Field Cart



Specification

Load Capacity: 159kg

Net Weight: 27.2kg

Product Size: 1120*680*880mm

Folding Size: 520*650*850mm

Product features

- The field cart is a tool used in indoors, field hospitals, sports facilities and competitions, connecting helicopters and platforms, airports, natural disasters or disaster sites and other places to transport the injured or materials.

- Two large inflatable wheels can be used to transfer the wounded in rugged areas, such as mountains, snow, sand and other environments, with strong field operation function.
- The structure is reasonable and novel, which can be easily operated by one or two persons.
- This product can be used with our company's folding stretchers (D4, D8). Carbon fiber folding stretcher and field cart can be combined into a small operating table.



YR-P

YR-P Soldier Bag



Product features

- The bag body is made of waterproof, non-toxic and environmentally friendly canvas material. It has the characteristics of waterproof, dust proof, shockproof, easy to clean, reasonable layout, easy to operate, and easy to carry.
- The bag has a reasonable design and can hold a four-fold stretcher and other medicines and medical equipment.

Specification

Product size: 210*36*510mm

YR-J

YR-J Camping Bed

Product features

- This product is made of aluminum alloy.
- The operation is light and flexible, the weight is light, the load is large, and the folding is convenient.
- Suitable for military camping, outdoor recreation and other activities to rest and use, is currently one of the ideal outdoor camping facilities.



Specification

LoadCapacity:250kg

NetWeight:9kg

ProductSize:1840*655*410mm

FoldingSize:895*225*115mm

Multifunctional Rescue Stretcher



Made of special composite plastic, it can be bent and deformed for use, small size, light weight, easy to carry, and wide range of applications.

The stretcher is equipped with extra rope straps on the side to facilitate the implementation of air rescue. Strong nylon straps to effectively fix the casualty, the buckle is equipped with adjustable size. Nylon strap handle with plastic rubber band, not strangling hands.

Can be used for fire emergency rescue, deep well and narrow space rescue, ground general rescue, high-altitude rescue, chemical accident scene rescue, etc. Can be lifted horizontally or vertically.

Product	Model	Open Size	Temperature Resistance	N.W.	G.W.	Packing Size	
Multifunctional Rescue Stretcher	YJK -F5	252×87×0.5cm	-20℃— 45℃	10.4	12.3kg	1PC/CTN	91.5×36×36.5CM

[Back to the catalog](#)

Vacuum Mattress Stretcher



This product is also known as vacuum stretcher, negative pressure stretcher, limb fixation airbag, torso stretcher.

The torso fixation airbag is made of high wear-resistant TPU material seamlessly fused to reduce the patient's weight and heat loss effectively. It is lined with polymer foam particles and equipped with a special pump.

After wrapping the torso/limb fixation airbag on the part of the body that needs to be fixed, the air inside the torso/limb fixation airbag is pumped away by the special pump, so that the torso/limb fixation airbag matches the shape of the body and fits tightly together to protect the injured part and avoid secondary injuries.

Torso fixation airbag can realize various operation methods such as passenger, sea and air transportation at the same time. Small size, light quality, easy to carry, strong protection, sturdy and durable.

X-ray imaging and magnetic resonance examination can be carried out, and it is quick and easy to use and can be operated by non-professionals.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Vacuum Mattress Stretcher	YJK-E-7	210×105×6CM	90×57×26cm	≤159kg	6.2KG	7.8KG	1PC/CTN	88.5×28×48CM

Vacuum Mattress Stretcher



This product is also known as vacuum stretcher, negative pressure stretcher, limb fixation airbag, torso stretcher, etc.

Torso fixation airbag is made of high wear-resisting TPU material seamlessly fused to reduce the patient's weight and heat loss effectively. It is lined with polymer foam particles and equipped with a special pump.

After wrapping the torso/limb fixation airbag on the part of the body that needs to be fixed, the air inside the torso/limb fixation airbag is pumped away by the special pump, so that the torso/limb fixation airbag matches the shape of the body and fits tightly together to protect the injured part and avoid secondary injuries.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Vacuum Mattress Stretcher	YJK-E-7-2	195×95cm	94×39×34cm	≤159kg	4.6KG	5.46KG	1PC/CTN	48×38×45cm

[Back to the catalog](#)

Carry Sheet (With bag)



This product is also known as soft stretcher, cloth stretcher, folding stretcher, Oxford cloth stretcher, simple stretcher, etc..

This product is made of double-thick Oxford fabric sewing. There are 8 handles around the perimeter and 2 handles at both ends, 10 handles in total. The handles are equipped with plastic tubes, which are more suitable for mountain rescue and long-distance transportation. There are two safety straps on the chest and legs to ensure the safety of the patient. Can be folded and put into a handbag, saving space and easy to carry.

Mainly suitable for hospitals, outpatient departments, ambulances, firefighters and troops in the field to transport the sick and wounded or enterprises and institutions, rural health offices, homes for the elderly and tourist attractions equipped with emergency use.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Carry Sheet	YJK-E-4	180*71CM	47*28*5CM	≤159KG	2KG	2.4KG	1PC/CTN	/

Extrication Device



This product is also known as: green stretcher, rescue set, torso splint, life-saving splint, chest and back splint, fixed splint, chest immobilization device.

Torso splint is very suitable for cervical and Spine immobilization in traffic accident rescue.

The nylon material is very easy to clean and maintain. The torso splint is equipped with color-coded snap-lock straps that can be quickly and conveniently unfastened for use in poorly lit, difficult environments.

It can be used in conjunction with a neck brace to hold the patient in a seated position before transporting the patient to a full-size Spine fixation plate.

The torso stretcher is equipped with two reusable forehead and jaw straps, a cervical brace and a carrying package torso splint that is ideal for cervical and Spine immobilization in traffic rescue.

Product	Model	Open Size	Fold Size	N.W.	G.W.	Packing Size	
Extrication Device	YJK-H-7	83×85×2cm	88×28×10cm	16.7KG	17.94KG	5PCS/CTN	85×27×46CM

Vacuum splint



This product is also known as vacuum splint, negative pressure splint, limb fixation airbag, negative pressure fracture protection airbag, etc.

The vacuum splint adopts the principle of vacuum forming to extract the air from the splint, and the vacuum splint quickly forms a rigid fixed forming body. This product is divided into torso, limb and cervical spine fixation, can provide fixed support protection for patients with different body position fractures and bone injuries, and can effectively prevent secondary losses caused by improper handling at the scene and the process of sending to the doctor.

This product is especially suitable for sudden accident scene, group bone fracture, is a medical emergency agencies, rescue agencies, military, earthquake rescue, fire relief, industrial and mining enterprises, maritime rescue, sports teams, transportation and construction industry necessary first aid equipment.

The whole set of products includes: upper limb splint, lower limb splint, torso splint, special air pump, portable bag.

The negative pressure torso splint provides fixed support for patients with fractures and bone injuries of different body parts. Easy to operate, quick to apply, strong protection, X-ray penetrating. Washable and can be used repeatedly throughout the year. It can avoid aggravating the injury due to the movement of the fracture site in the process of transferring the injured person.

It can effectively prevent secondary damage caused by improper handling at the scene and the process of sending the patient to the hospital. The outer nylon material is very easy to clean and maintain.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Vacuum splint	YJK-E-7-3	50×30×30cm	≤159kg	2.82KG	3.66KG	1PC/CTN	53×36×34CM

Vacuum splint



The vacuum splint is made of high quality nylon insulation and flame retardant material, easy to clean and maintain. Initially it is soft, and when it is used, it adopts the principle of vacuum forming (no air leakage under 0.3-0.5Mpa atmospheric pressure for 24 hours), using positive and negative pressure air pumps to keep the splint in a vacuum state, while automatically shaping it according to the contour of the injury, so that it can provide fixed support and protection to people with fracture bone injuries in different positions, like a shell to wrap and fix the injury. It can quickly fix different parts of the patient's fracture and bone injury, prevent the fracture end from stabbing the muscle, nerve, blood vessel or organ and causing pain, bleeding or even shock, effectively avoid the secondary injury caused by improper handling at the scene or moving the fracture part during delivery to the hospital, with easy operation, quick use and strong protection, without affecting the X-ray and magnetic resonance examination.

This product is especially suitable for sudden accident scene, group bone fracture, is a medical emergency agencies, rescue agencies, military, earthquake rescue, fire relief, industrial and mining enterprises, maritime rescue, sports teams, transportation and construction industry necessary first aid equipment.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Vacuum splint	YJK-E-7-4	50×30×20CM	≤159kg	2KG	3KG	1PC/CTN	55×35×34CM

Vacuum splint



The vacuum mattress and splint package provides fast, effective and comfortable immobilization by molding to the contours of the patient's body.

The evenly distributed Spine support reduces pressure point pressure pain and minimizes recovery time. It consists of 3 main components: surface TPU material, multi-chamber with polystyrene beads and webbing and buckles.

Depending on the purpose and application, the surface material is either polyester or polyether TPU. typically, we use polyester for vacuum mattresses and splints and polyether for some surgical mattresses and inflatable vacuum splints.

Filling we call the rapid chamber system, which is sewn and filled with 0.5-2mm polystyrene beads from antistatic non-woven fabric and then the surface TPU material is welded by a high frequency fusion machine.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Vacuum splint	YJK-E-7-6	93.5×105×3cm	≤159kg	14.75KG	15.75KG	5PC/CTN	88×58×47CM

Head Immobilize



The product is also known as head immobilizer, head immobilization device, etc.

There are made of high-density plastic material, with two round ear holes on both sides of the head, used to observe bleeding or drainage, so that the casualty's ear is comfortable and does not affect hearing.

The safety belt uses Velcro design, which is convenient and durable. Nylon straps can effectively fix the casualty, and the buckle design can adjust the size. The bottom seat belt design can fix the head immobilizer on the stretcher.

The overall material is metal-free, so you can perform X-ray fluoroscopy, CT scan, MRI without taking off the head immobilizer. Imaging examination.

Lightweight, durable, smooth surface, waterproof, easy to clean, anti-virus infection and other functions.

Can be used with Spine board and spade stretcher.

Product	Model	Open Size	N.W.	G.W.	Packing Size	
Head Immobilize	YJK-16	42×27×14cm	8KG	10KG	8PC/CTN	55.6×45.6×59.8CM

[Back to the catalog](#)

Cervical Collar



Products are neck brace, multifunctional neck brace, neck immobilizer, neck immobilization device, etc.

The material of soft foam makes it fit comfortably with the neck.

The internal material is soft, 100% cotton stretch fabric and nylon stab sticky buckle composition, the injured person wearing process has a comfortable feeling, to avoid secondary scratch.

Sponge device can have low, medium and high three position adjustment, suitable for different people, the product is clearly marked, easy to use according to the actual situation adjustment.

Sponge neck brace is suitable for neck injuries to upright support for the use of people. It can also be applied to people with neck injuries in first aid to reduce pain and relax the neck muscles so that the neck sprain can be relieved.

It can be used with airway opening to facilitate carotid artery monitoring and tracheal intubation, and the posterior opening is designed for easy palpation and ventilation, and the unique fixation lock ensures the stability and symmetry of the neck plug.

The overall material is metal-free and suitable for X-ray, CT tomography and MRI tomography examinations without removing the neck brace.

It is possible to form a Spine fixation system together with a Spine plate.

Product	Model	Open Size	N.W.	G.W.	Packing Size	
Cervical Collar	YJK-17	57×18×1cm	6.5KG	7KG	50PC/CTN	60×46×35CM

[Back to the catalog](#)

First Aid Bag



This first aid kit is made of EVA material, durable and easy to carry, fully configured to meet the use of various occasions.

First Aid Bag



This first aid kit is made of Oxford cloth material, durable, fully configured inside, small size, easy to carry, fully functional, use a variety of occasions.

First Aid Bag



This first aid kit is made of Oxford cloth material, durable, large internal space, the use of a variety of occasions.

First Aid Kit



The case is made of aviation aluminum, fall-resistant, shockproof, anti-oxidation. Equipped with soft body strap and carry handle. Shock-resistant; movable partition makes the fixing of various items more flexible and personalized; the upper and lower body is equipped with transparent fixed file board to make the items fixed in a beautiful and orderly manner, and the items will not fall apart after closing the box. Can meet the use of different occasions, more suitable for long-distance mobile.

Product	Model	Open Size	N.W.	G.W.	Packing Size	
First Aid Kit	YJK-07W	36×22×24CM	10.86KG	12KG	6PC/CTN	70×49×40CM

[Back to the catalog](#)

Emergency Blanket



The material is aluminum tin foil, which has a good insulation effect and is suitable for field rescue.

The product can be folded, easy to carry, small size and light weight.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Emergency Blanket	YJK-7	11×8×1CM	160×210CM	12KG	13KG	250PC/CTN	40×43×24CM

[Back to the catalog](#)

Patient Transfer



This product is also known as transfer bed, over-bed device, etc..


It is mainly used for transferring patients in obstetrics, X-ray rooms, wards and intensive care units. It can make the patients pass the bed smoothly and safely, and reduce the pain caused when they are carried.

Outer cover: advanced special waterproof and wear-resistant extremely slippery nylon and nano silk material. Inner board sandwich: environmentally friendly recyclable material polypropylene, lightweight, pressure-resistant and sturdy; anti-static softer and non-deformable EPE cotton.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Patient Transfer	YJK-A2-8	173×48×1.5CM	85.5×50×3.5CM	≤159kg	2.3KG	2.9KG	1PC/CTN	86×50×5CM

[Back to the catalog](#)

Patient Transfer



This product uses high-quality resin material as the stretcher handle, and floating particles, more anti-slip effect. It is especially used for Spine fracture, limb fracture and all kinds of trauma patient transfer. Radiology, MRI, or X-ray shooting, B-ultrasound, etc. can be directly transferred.

Product	Model	Open Size	Loading	N.W.	G.W.	Packing Size	
Patient Transfer	YJK-A3-8	186×56×0.6CM	≤159kg	5KG	7.5KG	1PC/CTN	189×57×2CM

[Back to the catalog](#)

Examination Couch



This product is also known as medical bed, simple medical bed, simple bed, examination bed, etc..

The main body of this product is made of high-quality stainless steel square tube structure bed surface is 5cm antibacterial PVC sponge cushion, beautiful surface bed legs are equipped with plastic sleeve feet to prevent friction with the ground and noise, flexible lie flat folding, strong and durable, easy to carry.

The treatment bed is suitable for outpatient examination and general surgery needs.

Product	Model	Open Size	Fold Size	Loading	N.W.	G.W.	Packing Size	
Examination Couch	YJK-6	182×62×71CM	90×61×13CM	≤159KG	16KG	20KG	1PC/CTN	91×62×14CM

Shifters



This product is made of cold-rolled steel overall welding, not easy to open welding. Anti-slip pedal can be folded, easy to use, not in the way. Equipped with four silent brake casters, easy and convenient to move.

Product	Model	Open Size	N.W.	G.W.	Packing Size	
Shifters	YJK-YW-01	63×55×80CM	19KG	32KG	1PC/CTN	84.5×58.5×68CM